# HALDIMAND COUNTY

## 2022 Draft Rate Supported Operating Budget & Capital Forecast Water & Wastewater



Special Council | January 13, 2022

# Council Review of the 2022 Draft Budgets

Budget	Review Dates
Rate Supported Operating Budget & Capital Forecast	January 13 <sup>th</sup> , 2022
Tax Supported Capital Budget and Forecast	March 3 <sup>rd</sup> (March 4 <sup>th</sup> , 2022 if required)
Tax Supported Operating Budget	March 31 <sup>st</sup> (April 1 <sup>st</sup> , 2022 if required)



### Rate Supported Framework/Principles

Budget Guidelines (consistent with 2013 Rate Study cost allocation/recovery principles):

- Full cost recovery of all operating and capital costs;
- 50%/50% recovery model 50% of net costs recovered from fixed revenues (basic charges); 50% from variable revenues (consumption);
- Leachate costs to be allocated based on relative loading at the treatment plant and recovered 50% from fixed revenues and 50% from variable revenues;
- Annual indexing/review of miscellaneous fees, including bulk water and holding/septic tank rates;
- Rate Stabilization Reserves allow for flexibility and an additional revenue source for the Capital Replacement Reserve Funds.



# HALDIMAND COUNTY 2022 Draft Rate Supported Operating Budget











### 2022 Rate Budget Drivers

#### Water User Rate Revenue Increase: <u>\$665,500</u>

#### Revenue Increases:

- Bulk Water Consumption \$193,600
- Annual Fire Protection Charge \$69,500
- Use of Rate Stabilization Reserve \$300,000

#### Expenditure Increases:

- Hamilton Water
  - \$130,000 Rate increase
  - \$870,000 Consumption increase
- OCWA Haldimand Share of Contract \$55,300
- Insurance \$48,600
- CRRF Water Contribution \$129,500

#### Wastewater User Rate Revenue Increase: <u>\$191,760</u>

#### Expenditure Increases:

- Veolia Operating Contract
  - \$75,000 standard contract increase
  - \$81,000 increase for chemical costs
- Insurance \$32,900




# Average Monthly Impact on Users

	Approved Budget			Draft Budget	Proje	ctions		
Projection Based on Proposed 2022 Budget	2017	2018	2019	2020	2021	<u>2022</u>	2023	2024
Rate Revenue Requirement	4.0%	0.2%	1.9%	2.7%	3.1%	6.6%	2.9%	0.7%
Growth/Consumption Impacts	0.7%	3.1%	3.1%	1.9%	2.7%	4.5%	1.0%	0.7%
Average Monthly Impact on Users	3.3%	-2.9%	-1.2%	0.7%	0.4%	2.1%	1.9%	0.0%




#### Average Monthly Impact on Users




Haldimand County


# End User Impact Municipal Comparison – Metered Charges



County

#### Water Customers and Consumption Comparison








## Impact on Bulk Water Rate

Bulk Water Rate (per cubic metre)	2021 Rate	2022 Rate	Change	
Controlled by Haldimand County				
Bulk Water Rate (charged to hauler)	\$3.14	\$3.23	\$0.09	3.0%
Monthly Administration Fee (charged to hauler)	\$17.97	\$18.51	\$0.54	3.0%
Per Load Impact on a "Typical End User" (13.6 m3 or 3,000 gallon load)				
Per Load impaction a Typical End User (	13.6 m3 or 3	,000 gallon	load)	
	13.6 m3 or 3 \$42.78	,000 gallon \$44.06	load) \$1.28	3.0%
Water Commodity (determined by Haldimand County) Estimated hauler delivery charge (determined by hauler)				3.0%

\*assumes 3,000 gallons (approximately 13.6 cubic metres), an equivalent increase to the delivery charge, and excludes any administration fees



# Municipal Comparison – Bulk Water Charges



County

### Impact on Holding/Septic Charges

Total "End User" cost	\$227.95	\$234.78	\$6.84	3.0%
Estimated hauler delivery charge (determined by Hauler)	\$91.57	\$94.32	\$2.75	3.0%
Treatment Cost (determined by Haldimand)	\$136.38	\$140.47	\$4.09	3.0%
Per Load Impact on "Typical End User" (9.1	m3 or 2,000	) gallon lo	oad)*	
Monthly Administration Fee (charged to hauler)	\$17.97	\$18.51	\$0.54	3.0%
Proposed Rate (charged to hauler)	\$15.00	\$15.45	\$0.45	3.0%
Controlled by Haldimand County				
Holding/Septic/Portable Toilet Tank Treatment Charge (per cubic metre)	2021	2022	С	hange

\*based on 2,000 gallon load (approximately 9.1 cubic meters, an equivalent increase to the delivery charge and excludes any administration fees



## HALDIMAND COUNTY 2022 Draft Rate Supported Capital Budget and Forecast







### 2022 Draft Rate Supported Capital Budget

#### Focus on Corporate Strategic Objectives and Long Term Financial Plans

#### Key Principles of Rate Supported Capital Budget

- Replacement/Rehabilitation Focus
- Studies/Reviews
- Provide Service Capacity for Anticipated Growth
- Focus on Financing of Projects over the forecast Water vs. Wastewater



## Gross Capital Expenditure Summary

	2021 Budget	2022 Draft Budget		
	Average Annual Gross	Average Annual Gross		
Gross Expenditures	Expenditures	Expenditures		
Water System	\$4.5 Million	\$12.8 Million		
Wastewater System	<u>\$8.2 Million</u>	<u>\$9.9 Million</u>		
Total	<u>\$12.7 Million</u>	<u>\$22.7 Million</u>		



# 2022 Capital Forecast – Major Projects

#### Water Projects

Projects related to providing water to Norfolk:


- Nanticoke Water Treatment Plant Capacity Expansion - \$60 million (2022 and 2023)
- Nanticoke Transmission Main Service Extension – Lake Erie Industrial Park -\$3.5 million (2022)
- Nanticoke Transmission Main Service Extension – Townsend - \$4 million (2022)

#### **Wastewater Projects**

- Caledonia Nairne Street Forcemain Reconstruction – Additional budget of \$4.4 million (2022)
- Caledonia Wastewater Treatment Plan Expansion - \$45 million (2025)




### Impact on Capital Replacement Reserve Funds



**Forecasted Capital Replacement Reserve Fund Balances** 




### Impact on Long Term Debt Payments





### Average Monthly Increase on Customers



County

#### **Future Issues and Challenges**

- Impacts of additional customers and/or consumption patterns related to residential growth
- Impacts of changes in Consumption by Large Industrial Users or conversion to raw water
- Gas Tax Allocation
- Updated Rate Study
- Long Range Asset Management
- Ongoing Performance Evaluations of Facilities
- Leachate Treatment Volumes
- Available Balances in Capital Replacement and Rate Stabilization Reserves

